**Telephone:** (907) 451-2135

File Number: 890.15.003

Fax: (907) 451-2187 Email: dsam@envircon.state.ak.us

DIVISION OF ENVIRONMENTAL HEALTH **SOLID WASTE PROGRAM** 610 UNIVERSITY AVENUE FAIRBANKS, ALASKA 99709-3643

http://www.state.ak.us/dec/

#### **December 8, 2000**

# CERTIFIED MAIL - RETURN RECEIPT REQUESTED 7099 3220 0005 8563 1510

Ms. Rhoda Musser, Chief Village of Evansville P.O. Box 26025 Evansville/Bettles Field, AK 99726

Dear Chief Musser:

#### Village of Evansville Solid Waste Disposal Permit #0031-BA0140, Renewal of Re: Permit #9531-BA004

The Department of Environmental Conservation has completed its evaluation of your request for renewal of a solid waste disposal permit, to allow for the operation and maintenance of a municipal solid waste landfill near the Village of Evansville and the City of Bettles, Alaska off the proposed Floatplane facility access road. The site is located approximately 1 mile south of the Evansville/Bettles area within Section 17, R 18 W., T. 24 N., Fairbanks Meridian and is legally described as Plat 95-110, Fairbanks Recording District, Alaska. The Department is issuing this permit in accordance with AS 46.18 and AAC 15, and 18 AAC.60.Please review the stipulation in the permit ensure they are all understood. This permit is effective upon issuance and expires December 1,2005.

Any person who disagrees with this decision may appeal the decision by requesting an adjudicatory hearing, using the procedures contained in 18 AAC 15.200-310. Hearing requests must be delivered to the Commissioner of the Department of Environmental Conservation, 555 Cordova Street, Anchorage, AK 99501 within 30 days of receipt of this letter. If a hearing is not requested within 30 days, the right to appeal is waived.

Sincerely,

Nancy B. Sonafrank For Heather Stockard Solid Waste Program Manager

Enclosure: Permit 0031-BA040

cc w/enc: Trustees/Alaska



# ALASKA DEPARTMENT OF ENVIRONMENTAL CONSERVATION 610 UNIVERSITY AVENUE FAIRBANKS, ALASKA 99709-3643

# SOLID WASTE DISPOSAL PERMIT

Permit: **0031-BA010** Date: December 8, 2000

This Solid Waste Disposal Permit is issued to the Evansville Village Council for the operation and maintenance of a municipal solid waste landfill. The landfill is located off the proposed Floatplane facility road, near Evansville and Bettles, Alaska within Section 17, R. 18 W., T.24 N., Fairbanks Meridian and is legally described as Plat 95-110, Fairbanks Recording District, Alaska. This permit is subject to the conditions and stipulations contained in Appendices A and B that are incorporated herein by reference.

This permit is issued under provisions of Alaska Statute 46.03, the Alaska Administrative Code, as amended or revised, and other applicable State laws and regulations.

This permit is effective upon issuance and expires <u>December 1, 2005</u>. It may be terminated or modified in accordance with AS 46.03.120.

Nancy B. Sonafrank

For Heather Stockard
Solid Waste Program Manager

Evansville Landfill Permit 0031-BA010
Issue Date: December 8, 2000 Page 2 of 10

#### **APPENDIX A - SPECIFIC CONDITIONS**

# I. SITE DEVELOPMENT

The permit holder shall:

- A. Comply with the designs and plans in the application dated May 18, 2000 and additional application information submitted June 26 and 28, 2000, July 30, 3000 and November 8, 2000 as well as the following permit conditions. Apply in writing for a permit amendment if any changes to the permit are needed. Changes to the permit are not in effect until approved by the ADEC Solid Waste Program.
- B. Make sure that all operations adjust to fit the volume of waste produced by the community. Make sure all operations are done in a manner that will make it easy to close the landfill at some point in the future.
- C. Construct and maintain ditches or berms as needed to keep surface water away from the landfill. Grade and fill the landfill to keep surface water away from active and closed trenches.
- D. Maintain a separate fenced area for disposal of septic tank pumping waste at the site. Septic tank pumping waste will only be placed in the designated area.
- E. Post and maintain a sign that lists items not accepted in the landfill. Unacceptable items include waste oil and oily wastes, acids, batteries, solvents, fish waste, animal remains, sewage sludge, medical waste, hazardous materials, oily wastes, explosives, radioactive wastes, or medical waste, and any other wastes the Village chooses not to accept.
- F. Post and maintain an easy-to-read sign at the site with the following information:

Landfill Name
Owner Name
Conditions for Use
Emergency Phone Numbers

- G. Post and maintain easy-to-read signs that direct users to different areas within the landfill, such as the active dumping area and the septic trench. If the public uses the landfill when no attendant is on-site, post and maintain easy-to-read signs that describe rules for each of these areas.
- H. Construct and maintain a fence and gate to control wildlife and domestic animals. Post and maintain an easy-to-read sign that direct users to close the gate after each use.

Evansville Landfill Permit 0031-BA010
Issue Date: December 8, 2000 Page 3 of 10

#### II. SITE OPERATION

The permit holder shall:

# A. General Operating Procedures

- 1. Make sure the only waste accepted at this site are septage, household and commercial trash, ash, scrap goods, scrap metal, cleaned drums, junk equipment or vehicles, and construction and demolition debris by permission of the Evansville Village Council.
- 2. Maintain a controlled salvage area for items that can be used by others or for parts. Keep this area clean and neat for public use. The salvage area will be located on the equipment pad between the cold storage shed and the active solid waste disposal area. Clean this area **on a quarterly basis** by placing unused materials in the working face for burial. Clean on a more frequent basis if the area becomes a litter, nuisance, or safety problem.
- 3. Make sure that public access to the facility is controlled to reduce health risks and reduce safety hazards.
- 4. Close and lock access gates to the facility when the site is not in operation or an attendant is not on duty. A Dumpster or other enclosed, animal-resistant container may be placed outside the locked gate for community use after operating hours at the site if needed.
- 5. Make sure the public is aware of the rules and operations plan for the landfill by posting them in a public place and by any other means effective for this community. Inform the public on:
  - a) types of waste accepted and not accepted at the landfill;
  - b) where and how they can dispose of unacceptable wastes;
  - c) any efforts or program by the City to reduce and recycle waste;
  - d) types of waste that should be separated for burning in the burn box or other burning device;
  - e) the importance of burning only in the burn box and not set fire to any waste that would cause black smoke; and
  - f) the importance of restricted wildlife access to the landfill and keeping the gate closed.

#### B. Burial

1. Keep a distance of **50 feet** between the property boundary and the edge of all active and closed waste disposal areas.

Evansville Landfill Permit 0031-BA010
Issue Date: December 8, 2000 Page 4 of 10

#### B. Burial (cont.)

2. Maintain a separation distance of at least **ten feet** between the base of all waste disposal and the seasonal high groundwater.

- Make sure that the width of the working face does not exceed 45 feet in width and the height does not exceed 5 feet. The working face is defined as the area of uncovered wastes.
- 4. Keep the uncovered working face as small as practical in order to reduce wind-blown litter and the attraction of birds and animals.
- 5. Gather all loose debris within the working face. Compact refuse in a layer no deeper than **2 feet** by using 3 to 5 passes of the bulldozer or compaction equipment before burial.
- 6. Gather, compact, and bury waste with a minimum of **six inches** of compacted soil **every two weeks** during the summer months whenever the soils are workable.
- 7. Gather and compact waste every two weeks during the winter months. Cover compacted waste with a minimum of **6 inches** of soil as soon as soils are workable in the spring.
- 8. Make sure solid wastes are not placed in surface waters. Remove any collected surface water immediately. Do not allow surface waters to collect at the landfill for a period greater than 30 days.
- 9. Make sure large containers such as barrels and drums are empty of fluids before crushing and burial. All fluids removed from drums shall be properly disposed of in accordance with all applicable State and Federal laws, including but not limited to RCRA, the Clean Water Act, Title 46 of Alaska Statutes and 18 AAC 60.
- 10. Make sure scrap vehicles or automobiles have been drained of all petroleum products and coolants before placing in the landfill. Make sure any lead-acid batteries have been removed prior to disposal.
- 11. Make sure that waste oils or oily wastes are managed in accordance with 40 CFR 279. Oil filters must be hot drained and crushed or incinerated prior to disposal.

#### C. Burning

- 1. Prohibit open burning on the working face and immediately extinguish any fires that occur on the working face. Maintain an adequate amount of cover material at the site to prevent fires at or around the landfill.
- 2. Notify the Department of Environmental Conservation at 451-2108 within 24 hours of a

Evansville Landfill Permit 0031-BA010
Issue Date: December 8, 2000 Page 5 of 10

fire that occurs on the working face.

#### C. Burning (cont.)

- Allow burning of solid waste only in a burn box or other enhanced burning device in a
  manner that does not create black smoke. Burn waste in the burn device weekly, yearround, as weather permits.
- 4. Burn waste only when an attendant is on duty.
- 5. Develop and carry out a plan to separate burnable wastes as needed to make sure waste burns efficiently and without smoldering or generating black smoke.
- 6. Extinguish burning waste if black smoke occurs. After the burn is extinguished and debris has cooled, remove any items that are causing the black smoke.
- 7. Remove ash from burn device at least once each month or more often if needed to maintain airflow for efficient burning.
- 8. Prohibit burning during periods of high wind, dryness or other conditions that may cause wildfires or create a public nuisance.

#### D. Access

Construct and maintain on-site roads as needed to control traffic safely at the landfill. The site supervisor will maintain positive control of all persons who are within the landfill boundaries, and will make sure that refuse is placed in approved locations. Dumping in unauthorized areas violates conditions of this permit and Alaska Administrative Codes.

#### E. Litter

Collect all windblown and littered refuse from the disposal site and along the access road at least **once each month** and return it to the active disposal area for burial. Collect all litter on lands within 500 feet of the site, whether windblown or dumped, as needed to prevent this litter from becoming an aesthetic nuisance.

#### F. Snow Control

- 1. Remove snow from active and closed disposal areas, from uphill of the active disposal area, and from any area of operation, before spring snowmelt to keep snow from melting and coming into contact with disposal areas.
- 2. Place any removed snow in an area away from the working face but within the landfill boundary. Collect any litter that emerges as the snow pile melts and place the litter in the active disposal area.

Evansville Landfill

Issue Date: December 8, 2000

Page 6 of 10

3. Construct snow fences or berms as needed to control blowing snow at the site.

Evansville Landfill Permit 0031-BA010
Issue Date: December 8, 2000 Page 7 of 10

#### III. PROHIBITIONS AND SPECIAL RESTRICTIONS

The permit holder shall:

- A. Prohibit discharge of firearms at the facility.
- B. Prohibit disposal of hazardous wastes, as defined in 40 CFR 261.3, oily wastes, waste oil, greases, paints, sludges, and chemical wastes at this facility unless written permission is obtained from the Department.
- C. Prohibit disposal of lead-acid vehicle batteries at this site. Batteries may be stored temporarily in a designated area in covered, leak-proof storage containers prior to their transport to a recycler or permitted disposal site.
- D. Prohibit disposal of asbestos at this site.
- E. Prohibit storage of used oil, antifreeze or other bulk liquids at the landfill site. Used oil and other hazardous bulk liquids must be stored in a bermed and lined area at a site away from the landfill. Containers within the landfill must hold one gallon or less of non-hazardous liquid.
- F. Prohibit disposal of contaminated soil that contains metals or other chemicals in concentrations that the Department determines poses an unacceptable risk to human health or the environment. Prohibit the disposal of contaminated soil which:
  - 1. Contains concentrations of hazardous substances exceeding one or more of the applicable migration to groundwater levels set in 18 AAC 75.341 Table B1 or Table B2;
  - 2. Exhibits the characteristic of toxicity described in 40 C.F.R. 261.24(a); or
  - 3. Is determined by the department under 18 AAC 75 to pose a migration to surface water threat. Soil contamination that does not exceed migration to groundwater levels may still be considered contaminated soil under 18 AAC 75.
- G. Prohibit the disposal of unsterilized medical waste. Medical waste must be treated and packaged to prevent a health hazard before disposing of in the landfill. Burning in a burn barrel does not sterilize or adequately treat pathogenic medical waste.

Evansville Landfill Permit 0031-BA010
Issue Date: December 8, 2000 Page 8 of 10

#### IV. MONITORING AND REPORTING

The permit holder shall:

- A. Visually inspect the entire site each month for signs of damage or potential damage from settlement, ponding, leakage, erosion, or operations at the site. Complete the monthly visual monitoring checklist and report any problems or steps taken to correct damage problems or permit violations. Keep the completed monthly checklists in the landfill's operating record for review during DEC inspections.
- B. Maintain a set of site plans that describe how the site is being used and developed which includes a diagram of active and closed disposal areas, existing fences and gates, berms, and any special use areas within the landfill. Send the ADEC Solid Waste Program an updated copy of site development and use plans by **December 31** of each year while the permit is in effect.
- C. Maintain an Operating Record in a readily accessible place in the community or at the landfill containing:
  - 1. A copy of the permit application and permit.
  - 2. Training records and notification procedures to exclude receipt of hazardous waste as required by 18 AAC 60.240.
  - 3. Any demonstration, certification, or inspection data required in this permit including how the landfill meets Class III criteria for waste volume.
  - 4. The operating plan described in 18 AAC 60.210(b)(9).
  - 5. Updated site drawings of the landfill.
  - 6. Location restriction demonstrations such as those for minimum distance to runways or flood plains.
  - 7. Copies of visual inspection records for the landfill.

Evansville Landfill Permit 0031-BA010
Issue Date: December 8, 2000 Page 9 of 10

# V. CLOSURE AND RESTORATION

The permit holder shall:

- A. Notify the Department's appropriate regional Office in writing 10 days in advance of closing out an existing disposal area and opening a new one.
- B. Notify the Department's appropriate regional office at least thirty (30) days before the site is to be permanently closed and the equipment withdrawn.
- C. Make sure the final cover is at least two feet deep and is placed on the final disposal area within 90 days after the last waste is disposed. The top six inches will consist of soil that is able to keep enough water within the soil to revegetate the site with native vegetation or grasses.
- D. Develop a vegetative plan for covering the closed areas of the landfill within the first growing season after closure. Use plant species recommended by the Alaska Plant Materials Center (907) 745-4469.
- E. Make sure the covered areas and drainage control structures are graded to keep surface water from flowing on, over or through the site. Maintain the site to prevent ponding and erosion and minimize the amount of water entering the solid waste.
- F. Prepare a survey as-built or record drawings showing the location, type, and volume of waste deposited at the solid waste disposal site.
- G. After final closure of the entire site, file the survey as-built or record drawing with the State Recorder's Office along with a file notation that would be found by a title search of the property. The file notation should inform future property owners that:
  - 1. This property may not be suitable for some uses;
  - 2. Maintenance and repairs to the property might be needed to prevent pollution problems at the site; and
  - 3. Any activity that results in damage to the final cover of the property must be corrected to control potential pollution problems
- H. Submit a copy of the survey as-built or record drawings and proof of such recording to the appropriate DEC regional office within 60 days of the final closure or the expiration date of this permit.
- I. Inspect the landfill once each year for five years following closure for significant erosion, ponding, settlement, or lack of success with revegetation. Do additional work to restore the surface of the landfill if damage has occurred within five (5) years of closing areas of the

Evansville Landfill Permit 0031-BA010
Issue Date: December 8, 2000 Page 10 of 10

landfill.

Evansville Landfill Permit 0031-BA010
Issue Date: December 8, 2000 Page 11 of 10

#### **APPENDIX B - GENERAL PERMIT CONDITIONS**

#### I. ACCESS AND INSPECTION

The permittee shall allow the Commissioner or his/her representative access to the permitted facilities at reasonable times to conduct scheduled or unscheduled inspections or tests to determine compliance with this permit, State laws, and regulations.

# II. INFORMATION ACCESS

Except for information relating to confidential processes or methods of manufacture, all records and reports submitted in accordance with the terms of this permit shall be available for public inspection at the State of Alaska Department of Environmental Conservation, Northern Regional Office, 610 University Avenue, Fairbanks, Alaska 99709-3643.

#### III. CIVIL AND CRIMINAL LIABILITY

Nothing in this permit shall relieve the permittee from civil or criminal penalties for noncompliance, whether or not such noncompliance is due to factors beyond his control, including, but not limited to, accidents, equipment breakdowns, or labor disputes.

#### IV. AVAILABILITY

The permittee shall post or maintain a copy of this permit available to the public at the landfill.

#### V. ADVERSE IMPACT

The permittee shall take all necessary means to minimize any adverse impacts to the receiving waters or lands resulting from noncompliance with any limitation specified in this permit, including any additional monitoring needed to determine the nature and impact of the noncomplying activity. The permittee shall cleanup and restore all areas adversely impacted by the noncompliance.

#### VI. CULTURAL OR PALEONTOLOGICAL RESOURCES

Should cultural or paleontological resources be discovered as a result of this activity, work which would disturb such resources is to be stopped, and the State Historic Preservation Office, Division of Parks and Outdoor Recreation, Department of Natural Resources, is to be notified immediately (907-269-8721).

Evansville Landfill Permit 0031-BA010
Issue Date: December 8, 2000 Page 12 of 10

#### VII. APPLICATIONS FOR RENEWAL

In accordance with 18 AAC 15.100(d), applications for renewal or amendment of this permit <u>must</u> be made no later than 30 days before the expiration date of the permit or the planned effective date of the amendment.

#### VIII. OTHER LEGAL OBLIGATIONS

The requirements, duties, and obligations set forth in this permit are in addition to any requirements, duties, or obligations contained in any permit that the Alaska Department of Environmental Conservation or the U.S. Environmental Protection Agency has issued or may issue to the permittee. This permit does not relieve the permittee from the duty to obtain any and all necessary permits and to comply with the requirements contained in any such permit or with applicable state and federal laws and regulations. All activities conducted by the permittee pursuant to the terms of this permit and all plans implemented by the permittee pursuant to the terms of this permit shall comply with all applicable state and federal laws and regulations.

# IX. POLLUTION PREVENTION

In order to prevent and minimize present and future pollution, when making management decisions that affect waste generation, the permittee shall consider the following order of priority options: waste source reduction; recycling of waste; waste treatment; and waste disposal.